

**Product** Pumice powder, extra fine

Lot # 007803

Manufacturing Date 08/2022
Shelf Life 5 years

US Standard Mesh			ASTM E - 11							
	Inches		Spec.	Test 1	Test 2	Test 3	Test 4			
SIZE No.	Opening	Microns	Value	Value	Value	Value	Value			
6	0.132	3353								
8	0/097	2362								
10	0.0780	2000								
12	0.0650	1651								
14	0.0550	1410								
20	0.0328	840								
30	0.0232	595								
40	0.0164	420	0 – 5	1.8						
50	0.0116	297	15 – 50	33.9						
60	0.0097	250	15 - 40	25.2						
80	0.0069	177	25 - 45	31.2						
100	0.0058	149	0 - 15	7.7						
120	0.0049	125								
140	0.0041	105								
170	0.0035	88								
200	0.0029	74								
325	0.0017	44								
PAN			0 -5	0.1						
		TOTALS	100%	99.8						



**Product** Pumice powder, extra fine

Lot # 007326

Manufacturing Date 12/2021
Shelf Life 5 years

US Standard Mesh		ASTM E - 11							
	Inches		Spec.	Test 1	Test 2	Test 3	Test 4		
SIZE No.	Opening	Microns	Value	Value	Value	Value	Value		
6	0.132	3353							
8	0/097	2362							
10	0.0780	2000							
12	0.0650	1651							
14	0.0550	1410							
20	0.0328	840							
30	0.0232	595							
40	0.0164	420							
50	0.0116	297	0 – 5	0.0					
60	0.0097	250	5 – 25	19.7					
80	0.0069	177	50 - 80	61.3					
100	0.0058	149	5 – 25	14.0					
120	0.0049	125	0 – 7	3.2					
140	0.0041	105	0 – 5	0.5					
170	0.0035	88							
200	0.0029	74							
325	0.0017	44							
PAN			0-3	1.1					
		TOTALS	100%	99.8					



**Product** Pumice powder, extra fine

Lot # 005538

Manufacturing Date 06/2021

Shelf Life 2 years

US Standard Mesh		ASTM E - 11							
	Inches		Spec.	Test 1	Test 2	Test 3	Test 4		
SIZE No.	Opening	Microns	Value	Value	Value	Value	Value		
6	0.132	3353							
8	0/097	2362							
10	0.0780	2000							
12	0.0650	1651							
14	0.0550	1410							
20	0.0328	840							
30	0.0232	595							
40	0.0164	420							
50	0.0116	297	0 – 5	0.5					
60	0.0097	250	5 – 25	21.3					
80	0.0069	177	50 - 80	52.9					
100	0.0058	149	5 – 25	15.3					
120	0.0049	125	0 – 7	5.5					
140	0.0041	105	0 – 5	2.0					
170	0.0035	88							
200	0.0029	74							
325	0.0017	44							
PAN			0-3	2.1					
		TOTALS	100%	99.7					



**Product** Pumice powder, extra fine

 Lot #
 006886

 Shelf Life
 5 years

US Standard Mesh			ASTM E - 11						
	Inches		Spec.	Test 1	Test 2	Test 3	Test 4		
SIZE No.	Opening	Microns	Value	Value	Value	Value	Value		
6	0.132	3353							
8	0/097	2362							
10	0.0780	2000							
12	0.0650	1651							
14	0.0550	1410							
20	0.0328	840							
30	0.0232	595							
40	0.0164	420							
50	0.0116	297	0 – 5	0.1					
60	0.0097	250	5 – 25	15.7					
80	0.0069	177	50 - 80	65.2					
100	0.0058	149	5 – 25	13.8					
120	0.0049	125	0 – 7	4.1					
140	0.0041	105	0 – 5	0.8					
170	0.0035	88							
200	0.0029	74							
325	0.0017	44							
PAN			0 - 3	0.1					
		TOTALS	100%	99.8					



**Product** Pumice powder, extra fine

**Lot #** 006454 **Shelf Life** 5 years

US Standard Mesh			ASTM E - 11						
	Inches		Spec.	Test 1	Test 2	Test 3	Test 4		
SIZE No.	Opening	Microns	Value	Value	Value	Value	Value		
6	0.132	3353							
8	0/097	2362							
10	0.0780	2000							
12	0.0650	1651							
14	0.0550	1410							
20	0.0328	840							
30	0.0232	595							
40	0.0164	420							
50	0.0116	297	0 - 0	0.0					
60	0.0097	250	5 – 25	7.6					
80	0.0069	177	50 - 80	72.5					
100	0.0058	149	5 – 25	15.4					
120	0.0049	125	0 – 7	4.2					
140	0.0041	105	0 – 5	0.1					
170	0.0035	88							
200	0.0029	74							
325	0.0017	44							
PAN			0-3	0.1					
		TOTALS	100%	99.9					



**Product** Pumice powder, extra fine

**Lot #** 006270 **Shelf Life** 5 years

US Standard Mesh			ASTM E - 11						
	Inches		Spec.	Test 1	Test 2	Test 3	Test 4		
SIZE No.	Opening	Microns	Value	Value	Value	Value	Value		
6	0.132	3353							
8	0/097	2362							
10	0.0780	2000							
12	0.0650	1651							
14	0.0550	1410							
20	0.0328	840							
30	0.0232	595							
40	0.0164	420							
50	0.0116	297	0 - 0	0.0					
60	0.0097	250	5 – 25	19.2					
80	0.0069	177	50 – 80	67.9					
100	0.0058	149	5 – 25	11.2					
120	0.0049	125	0 – 7	1.3					
140	0.0041	105	0 – 5	0.2					
170	0.0035	88							
200	0.0029	74							
325	0.0017	44							
PAN			0-3	0.1					
·		TOTALS	100%	99.9					