

Safety Data Sheet

| SECTIO | SECTION 1: Identification | | | | | | |
|---|---|---|--|--|--|--|--|
| 1.1. | Identification | | | | | | |
| Product Name | | Cistus oil | | | | | |
| 1.2. | Recommended use and restrictions on use | | | | | | |
| Recommended Use | | INDUSTRIAL USE ONLY PERFUMERY, COSMETIC | | | | | |
| 1.3. | Supplier | | | | | | |
| Camden-Grey Essential Oils, Inc. 5751 Halifax Ave., Unit 2 Fort Myers, FL 33912 www.camdengrey.com | | | | | | | |
| 1.4. | 1.4. Emergency telephone number | | | | | | |
| Emergency number: Chemtrec -1.800.424.9300/ 1.703.527.3887 CCN330 | | | | | | | |
| SECTIO | SECTION 2: Hazard(s) identification | | | | | | |
| 24 0 | 2.1. Classification of the substance or mixture | | | | | | |

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments. Flammable liquid, Category 3 (Flam. Liq. 3, H226). Skin irritation, Category 2 (Skin Irrit. 2, H315). Eye irritation, Category 2 (Eye Irrit. 2, H319). Skin sensitisation, Category 1B (Skin Sens. 1B, H317). Aspiration hazard, Category 1 (Asp. Tox. 1, H304). Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411)

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments. Hazard pictograms :



Signal Word : DANGER Product identifiers : EC 201-291-9 ALPHA-PINENE X EC 207-431-5 EUCALYPTOL EC 202-796-7 PARA-CYMENE **DL-LIMONENE (RACEMIC)** EC 205-341-0 **B-PINENE** EC 204-872-5 Hazard statements : H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. Precautionary statements - Prevention : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection. Precautionary statements – Response P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/... P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Precautionary statements - Storage : P403 + P235 Store in a well-ventilated place. Keep cool. Precautionary statements - Disposal :

P501 Dispose of contents/container with local regulations

Safety Data Sheet

2.3. Other hazards

The substance does not satisfy the PBT or vPvP criteria in accordance with annexe XIII of the REACH regulations EC 1907/2006

SECTION 3: Composition/information on ingredients

3.1. Substance

Composition

| Identification | (EC) 1272/2008 | Note | % |
|-----------------|----------------------------|------|-----------------|
| INDEX: | GHS08 | | 50 <= x % < 100 |
| | Dgr | | |
| I_HYDROC | Asp. Tox. 1, H304 | | |
| | | | |
| INDEX: | GHS08, GHS02, GHS07, GHS09 | [1] | 10 <= x % < 25 |
| 180_56_8 CAS: | Dgr | | |
| 80-56-8 | Asp. Tox. 1, H304 | | |
| EC: 201-291-9 | Flam. Liq. | | |
| | 3, H226 | | |
| ALPHA-PINENE | Skin Irrit. | | |
| | 2, H315 | | |
| Х | Skin | | |
| | Sens. 1B, | | |
| | H317 | | |
| | Aquatic | | |
| INDEX: | | | 2.5 <= x % < 10 |
| I76_49_3 CAS: | | | |
| 76-49-3 | | | |
| EC: 200-964-4 | | | |
| | | | |
| INDEX: | GHS02, GHS07 | | 2.5 <= x % < 10 |
| 1470_82_6 CAS: | Warn | | |
| 470-82-6 | Flam. | | |
| EC: 207-431-5 | Liq. 3, | | |
| | H226 | | |
| INDEX: | GHS08, GHS02, GHS09 | | 2.5 <= x % < 10 |
| 199_87_6 CAS: | Warn | | |
| 99-87-6 | Asp. Tox. 1, H304 | | |
| EC: 202-796-7 | Flam. Liq. 3, | | |
| | H226 | | |
| PARA-CYMENE | Aquatic | | |
| INDEX: | GHS07 | | 0 <= x % < 2.5 |
| 198_55_5 CAS: | Warn | | |
| 98-55-5 | Eye | | |
| EC: 202-680-6 | Irrit. | | |
| | 2, | | |
| INDEX: | GHS07 | [1] | 0 <= x % < 2.5 |
| 1606042001 CAS: | Wng | | |
| 98-86-2 | Acute | | |
| EC: 202-708-7 | Tox. 4, | | |
| | H302 | | |
| INDEX: | GHS07 | | 0 <= x % < 2.5 |
| I562_74_3 CAS: | Warn | | |
| 562-74-3 | Acute | | |
| EC: 209-235-5 | Tox. 4, | | |
| | H302 | | |
| 4-TERPINENOL | Eye | | |

Safety Data Sheet

| INDEX: 179_92_5 | Warn | | |
|-----------------------|---------------------------------------|---|-----------------|
| CAS: 79-92-5 | Eye Irrit.2, H319 | | |
| EC: 201-234-8 | Flam. Sol. 2, H228 | | |
| CAMPHENE | | | |
| of the rience | Aquatic Acute 1, | | |
| | H400 M Acute = 1 | | |
| | Aquatic Chronic 1, H410 | | |
| | M Chronic = 1 | | |
| INDEX: | | | 0 <= x % < 2.5 |
| I3779_61_1 CAS: | | | |
| 3779-61-1 | | | |
| EC: 223-241-5 | | | |
| EC: 223-241-5 | | | |
| TRANS BETA- | | | |
| OCIMENE, (E)- | | | |
| | | | |
| INDEX: 1601029007 | GHS08, GHS02, GHS07, GHS09 | | 0 <= x % < 2.5 |
| CAS: 138-86-3 | Dgr | | |
| EC: 205-341-0 | Asp. Tox. 1, H304 | | |
| 20.203-341-0 | | | |
| | Flam. Liq. 3, H226 | | |
| DL-LIMONENE (RACEMIC) | Skin Irrit. 2, H315 | | |
| | Skin Sens. 1B, H317 | | |
| | Aquatic Acute 1, H400 | | |
| | M Acute = 1 | | |
| | Aquatic Chronic 1, H410 | | |
| | M Chronic = 1 | | |
| | | | |
| INDEX: 1127_91_3 | GHS08, GHS02, GHS07, GHS09 | [1] | 0 <= x % < 2.5 |
| CAS: 127-91-3 | Dgr | [.] | 0 <= x /0 < 2.0 |
| EC: 204-872-5 | Flam. Liq. 3, H226 | | |
| LU. 204-072-0 | | | |
| | Asp. Tox. 1, H304 | | |
| B-PINENE | Skin Irrit. 2, H315 | | |
| | Skin Sens. 1B, H317 | | |
| | Aquatic Acute 1, H400 | | |
| | M Acute = 1 | | |
| | Aquatic Chronic 1, H410 | | |
| | M Chronic = 1 | | |
| | | | |
| INDEX: 1604032001 | GHS05, GHS07, GHS09 | | 0 <= x % < 2.5 |
| | Dgr | | U <= X /0 < 2.5 |
| CAS: 89-83-8 | 5 | | |
| EC: 201-944-8 | Acute Tox. 4, H302 | | |
| | Aquatic Chronic 2, H411 | | |
| THYMOL | Skin Corr. 1B, H314 | | |
| | | | |
| | · · · · · · · · · · · · · · · · · · · | the second se | |

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4: First-aid measures

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open. If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognized cleaner. Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted, or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally. In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Keep the person

exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label

Safety Data Sheet

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label. If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Fire-fighting measures

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

- Suitable methods of extinction
 - In the event of a fire, use :
 - sprayed water or water mist
 - water with AFFF (Aqueous Film Forming Foam) additive
 - halon
 - foam
 - multipurpose ABC powder
 - BC powder
 - carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

- Unsuitable methods of extinction
 - In the event of a fire, do not use :
 - water jet
 - water

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

carbon monoxide (CO)

carbon dioxide (CO2)

5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures Use drums to dispose of collected waste in compliance with current regulations (see section 13).

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents

6.4. Reference to other sections

No data available

SECTION 7: Handling and storage

Requirements relating to storage premises apply to all facilities where the substance is handled. Individuals with a history of skin sensitisation should not, under any circumstance, handle this substance

7.1. Precautions for safe handling

Always wash hands after handling.

Safety Data Sheet

Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas. Remove contaminated clothing and protective equipment before entering eating areas.

Fire prevention :

Handle in well-ventilated areas.

Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits. Never inhale this substance.

Prevent the accumulation of electrostatic charges with connections to earth.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected. Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke. Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations. Avoid skin and eye contact with this substance. Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the substance is used. Never open the packages under pressure

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place. Keep away from food and drink, including those for animals. Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight. Avoid accumulation of electrostatic charges.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original

SECTION 8: Exposure controls/personal protection

8.1. Control parameters Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

| CAS | TWA : | STEL : | Ceiling : | Definition : | Criteria : |
|----------|--------|--------|-----------|--------------|------------|
| 80-56-8 | 20 ppm | | | SEN; A4 | |
| 98-86-2 | 10 ppm | | | | |
| 127-91-3 | 20 ppm | | | SEN; A4 | |

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166. In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours. Provide eyewash stations in facilities where the product is handled constantly.

Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374. Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

Safety Data Sheet

- PVA (Polyvinyl alcohol) Recommended properties :
- Impervious gloves in accordance with standard EN374
- .

Body protection Avoid skin contact.

Wear suitable protective clothing. Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact. Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

General information :

| Physical state : | Fluid liquid. |
|------------------|----------------------------|
| Color: | Pale yellow to dark yellow |
| Odour: | Characteristic |

Important health, safety and environmental information

| pH : | Not relevant. |
|---|--------------------|
| Boiling point/boiling range : | Not specified. |
| Flash Point : | 52.00 °C. |
| Vapour pressure (50°C) : | Not relevant. |
| Density : | 0,9050 - 0,9250 |
| Water solubility : | Insoluble. |
| Viscosity: | v < 7 mm2/s (40°C) |
| Melting point/melting range : | Not specified. |
| Self-ignition temperature : | Not specified. |
| Decomposition point/decomposition range : | Not specified. |

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

This substance is stable under the recommended handling and storage conditions in section 7

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the substance can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide

10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid:

- accumulation of electrostatic charges.

- heating
- heat
- flames and hot surfaces
- humidity

10.5. Incompatible materials

Keep away from :

- water

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Safety Data Sheet

Exposure to vapours from this solvent in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

Repeated or prolonged contact with the substance may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days. Splashes in the eyes may cause irritation and reversible damage

May cause an allergic reaction by skin contact.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

11.1.1. Substances Acute toxicity : THYMOL (CAS: 89-83-8)

| Oral route : | LD50 = 980 mg/kg |
|--|-------------------|
| 4-TERPINENOL (CAS: 562-74-3) Oral route : | LD50 = 1300 mg/kg |
| ALPHA-TERPINEOL (CAS: 98-55-5) Oral route : | LD50 = 4300 mg/kg |
| PARA-CYMENE (CAS: 99-87-6) Oral route : | LD50 = 4750 mg/kg |
| EUCALYPTOL (CAS: 470-82-6) Oral route : | LD50 = 2480 mg/kg |
| ALPHA-PINENE X (CAS: 80-56-8) Oral route : | LD50 = 3500 mg/kg |

Aspiration hazard :

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

| SECT | ON 12: Ecological information | | | | | |
|--------|---|--|--|--|--|--|
| 12.1. | Toxicity | | | | | |
| | Toxic to aquatic life with long lasting effects. The product must not be allowed to run into drains or waterways | | | | | |
| 12.2. | Persistence and degradability | | | | | |
| No da | ata available. | | | | | |
| 12.3. | Bioaccumulative potential | | | | | |
| No da | No data available. | | | | | |
| 12.4. | Mobility in soil | | | | | |
| . No o | data available. | | | | | |
| 12.5. | Result of the PBT and vPvB assessment | | | | | |
| . No (| data available. | | | | | |

SECTION 13: Disposal considerations

Proper waste management of the substance and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Disposal methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14: Transport information

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2016).

Safety Data Sheet

14.1. UN number 1169 14.2. UN proper shipping name UN1169=EXTRACTS, AROMATIC, LIQUID 14.3. Transport hazard class(es) - Classification :



14.4. Packing group

14.5. Environmental hazards

- Environmentally hazardous material :



14.6. Special precautions for user

| ADR/RID | Class | Code | Pack gr. | Label | Ident. | LQ | Provis. | EQ | Cat. | Tunnel |
|---------|-------|---------|----------|----------|----------|---------|----------|------|------|--------|
| | 3 | F1 | III | 3 | 30 | 5 L | 601 640E | E1 | 3 | D/E |
| IMDG | Class | 2°Label | Pack gr. | LQ | EMS | Provis. | EQ | | | |
| | 3 | - | III | 5 L | F-E,S-D | 223 955 | E1 | | | |
| IATA | Class | 2°Label | Pack gr. | Passager | Passager | Cargo | Cargo | note | EQ | |
| | 3 | - | III | 355 | 60 L | 366 | 220 L | A3 | E1 | |
| | 3 | - | 111 | Y344 | 10 L | - | - | A3 | E1 | |

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG. For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2016/1179. (ATP 9)
- Container information:

No data available.

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available

SECTION 16: Other information

Wording of the phrases mentioned in section 3 :

| H226 | Flammable liquid and vapour. |
|------|---|
| H228 | Flammable solid. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |

Safety Data Sheet

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road. IMDG : International Maritime Dangerous Goods. IATA : International Air Transport Association. ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail. WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS02 : Flame

GHS07 : Exclamation mark GHS08 : Health hazard GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB : Very persistent, very bioaccumulable. SVHC : Substances of very high concern.

DISCLAIMER: The information in this SDS was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness and accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond Camden-Grey Essential Oils, Inc.'s control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies (e.g. DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product, which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.